

# POKON & CHRYSAL BV

## SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/ UNDERTAKING

PRODUCT NAME : CHRYSAL FABRIC PLANT CLEANER (FC)

Address/Phone no. Pokon & Chrysal BV  
P. O. Box 17  
1400 AA BUSSUM  
Holland  
Tel: 31 (0) 35 – 6955888  
Fax: 31 (0) 35 - 6955822  
Emergency phone no: 31 (0) 35 – 6955850/6955851

---

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Contains an emulsion of silicon oil, aliphatic solvents, emulgator and anti corrosion product in water, propelled with butane/propane.

HAZARDOUS INGREDIENT (S) .	CAS No.	%(w/w)'j	Symbol	R Phrases
Butane (propellant)	74-98-6			
Propane (propellant)	106-97-8			

---

### 3. HAZARDS IDENTIFICATION

AEROSOL

---

### 4. FIRST-AID MEASURES

Inhalation: In the event of excessive inhalation remove the victim to fresh air and wash out mouth with water provided person is conscious.

Skin contact: Remove clothing and wash skin with large amounts of soap and water for at least 15 minutes. Seek medical advice if irritation persists.

Eye contact: Irrigate promptly with copious amounts of clean water continuing at least 15 minutes and seek medical advice.

Ingestion: Drink a copious amount of clean water and seek medical advice.

---

(Revision.)  
\REG\ISOSDS.95\PH:

(Date: 170795)  
(Page: 1 - 4 )

# POKON & CHRYSAL BV

PRODUCT NAME: CHRYSAL FABRIC PLANT CLEANER (FC)

---

## 5. FIRE - FIGHTING MEASURES

Caution: cans are under pressure (AEROSOLS)

Extinguishing media:

Use water fog to cool below flash point.

---

## 6. ACCIDENTAL RELEASE MEASURES

Do not allow to enter drains, sewers or water courses.

Transfer to a container for disposal.

---

## 7. HANDLING AND STORAGE

### 7.1 HANDLING

Avoid contact with skin and eyes.

Do not smoke or eat during handling.

Do not pierce, cans are under pressure.

### 7.2 STORAGE

Special requirements are advised. AEROSOLS

Do not expose above 50 °C.

Keep distance from ignition sources, do not smoke.

Keep out of reach of children.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Good working practice suggests use of gloves and goggles.

HAZARDOUS INGREDIENT(S)	LTEL 8hr ppm	TMA mg/m <sup>3</sup>	STEL ppm mg/m <sup>3</sup>	Time mins
Butane/propane	1000			

---

(Revision: )  
\REG\ISOSDS. 9 5 \PH

(Date.. 170795)  
(page: 2 – 4 )

# POKON & CHRYSAL BV

PRODUCT NAME: CHRYSAL FABRIC PLANT CLEANER (FC)

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	aerosol
Colour	transparent
Odour	none
Odour threshold (ppm)	-
pH (value)	-
Boiling point (deg C)	-
melting point (deg C)	-
Flash point (deg C)	>50 <sup>0</sup> C
Flammable limits	-
Auto ignition temperature (deg C)	-
Explosive properties	can under pressure
HLB	-
Oxidizing properties	-
Vapour pressure (mm/Hg)	-
Density (g/ml)	-
Solubility (water)	-
Solubility (other)	-
Partition coefficient	-
Viscosity (mPa.s)	-

---

## 10. STABILITY AND REACTIVITY

Hazardous reactions	aerosol.cans are under pressure
Hazardous decomposition product(s)	none

---

## 11. TOXICOLOGICAL INFORMATION

This product is not hazardous under normal conditions

---

(Revision:)  
\REG\IS0SDS-95\PH

(Date . 170795)  
(Page: 3 -4 )

# POKON & CHRYSAL BV

PRODUCT NAME: CHRYSAL FABRIC PLANT CLEANER (FC)

---

## 12. ECOLOGICAL INFORMATION

Persistence and degradation: biodegradable

Toxicity: not hazardous, no CFC

Effect on effluent treatment :

The product is anticipated to be substantially removed in biological treatment processes.

---

## 13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with local, state or national legislation.

---

## 14. TRANSPORT INFORMATION

Classified as hazardous for transport:

UN code	1950
IMDG code	9 (9022)
ADR/RID/ACNR code	2, 10a
Packing group	1

Not classified as dangerous for the environment (Aquatic)

Proper shipping name: AEROSOLS

Marine pollutant Not classified as a marine pollutant.

---

## 15. REGULATORY INFORMATION

Not classified as hazardous to users

---

## 16. OTHER INFORMATION

This data sheet was prepared in accordance with directive .

91/155/EEC, 67/548/EEC and ISO 11014-1.

---

(Revision: )

(Date: 170795)

\\REG\ISOSDS.95\PH

(Page 4-4 )